

L Number	Hits	Search Text	DB	Time stamp
1	1924	tristate adj buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:06
2	47	((tristate adj buffer) and scan\$4 adj direction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:08
3	56	((tristate adj buffer) and ((scan\$4 near direction) or ((switch or pulse)near change-over)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:13
4	47	((tristate adj buffer) and ((scan\$4 near direction) or ((switch or pulse)near change-over))) and gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:12
5	104	((tristate adj buffer) and ((scan\$4 near direction or chang\$4 adj over) or ((switch or pulse)near change-over)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:21
6	56	((tristate adj buffer) and ((scan\$4 near direction or chang\$4 adj over near scan\$4) or ((switch or pulse)near change-over)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:14
7	1	((tristate adj buffer) and ((scan\$4 near direction or chang\$4 adj over near scan\$4) or ((switch or pulse)near change-over))) and gate adj line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:15
8	47	((tristate adj buffer) and ((scan\$4 near direction or chang\$4 adj over near scan\$4) or ((switch or pulse)near change-over))) and gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:15
10	36	((tristate adj buffer) and ((scan\$4 near direction or chang\$4 adj over near scan\$4) or ((switch or pulse)near change-over))) and gate) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:16
11	0	((tristate adj buffer) and (scan near direction) near switch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:22
12	15196	change-over adj switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:22
13	10	change-over adj switch with scan\$4 near direction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:23
14	4	(change-over adj switch with scan\$4 near direction) and buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:24
15	6152	((change-over adj switch with scan\$4 near direction) and buffer) and tri-state or tristate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:24

16	1	((change-over adj switch with scan\$4 near direction) and buffer) and (tri-state or tristate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:24
-	1091	345/7,32.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:17
-	2036	359/462-477.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:17
-	687	348/51-60.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:17
-	58589	345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:17
-	134	349/15.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:17
-	298	353/7-8.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:18
-	61103	345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:18
-	1828	(345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:19
-	1484	((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:20
-	511	((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:20
-	79	(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:56
-	64	(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:26

-	36	(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:33
-	28	(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or image near form\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:34
-	36	(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:17
-	28	(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:16
-	5	((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:19
-	0	((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light) and (vertical\$3 or clockwise) adj polarized adj light	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:40
-	0	((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4) and (vertical\$3 or clockwise) adj polarized adj light	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:40

-	1	(((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:40
-	5	(((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:41
-	29	(((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3) or dispers\$4 or condens\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:17
-	36	(((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:18
-	36	(((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:18
-	29	(((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3) or dispers\$4 or condens\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:19

	<p>5 (((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3) or dispers\$4 or condens\$3))) and (((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4)</p> <p>2 (((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3) or dispers\$4 or condens\$3))) and (((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4)) and different near parallax</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p> <p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/06/25 16:23</p> <p>2003/06/25 16:26</p>
--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------

	5	<p>(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polarizing adj plate or polarizer)) and (image\$separat\$4 or (image near separat\$4) or polarizing adj plate or polarizer)) and ((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3) or dispers\$4 or condens\$3))) and ((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4)) and parallax</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:25
	2056	345/\$.ccls. and projector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:25
	10	<p>(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polarizing adj plate or polarizer)) and (image\$separat\$4 or (image near separat\$4) or polarizing adj plate or polarizer)) and ((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3) or dispers\$4 or condens\$3))) and projector</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:25

	2	<p>(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and ((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3) or dispers\$4 or condens\$3))) and ((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4)) and (differ\$3 or chang\$3 or var\$6) near parallax</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:28
	3	<p>(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and ((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3) or dispers\$4 or condens\$3))) and projector) and (differ\$3 or chang\$3 or var\$6) near parallax</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:42
	1	<p>(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and ((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3) or dispers\$4 or condens\$3))) and projector) and circular\$2 near (polarized adj light)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:43

1	<p>(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and ((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3) or dispers\$4 or condens\$3))) and projector) and circular\$2 near2 (polarized adj light)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:44
3	<p>(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and ((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3) or dispers\$4 or condens\$3))) and circular\$2 near2 (polarized adj light)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:47
3	<p>(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and circular\$2 near2 (polarized adj light)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:48
5	<p>(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and circular\$2 near2 (polarized adj light)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:01
2	6252707.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:51
4	<p>(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and circular\$2 near2 (polarized adj light)) and vertical</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:00

-	4	(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and circular\$2 near2 (polarized adj light)) and (vertical or horizontal or clockwise or counterclockwise)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:00
-	0	20020030888.URPN.		
-	7	(US-6252707-\$ or US-5493427-\$ or US-6414681-\$ or US-5872590-\$ or US-5855425-\$.did. or (US-20020030888-\$ or US-20020030887-\$.did.	USPAT USPAT; US-PGPUB	2003/06/25 17:03 2003/06/25 17:09
-	2	((US-6252707-\$ or US-5493427-\$ or US-6414681-\$ or US-5872590-\$ or US-5855425-\$.did. or (US-20020030888-\$ or US-20020030887-\$.did.) and frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:19
-	2	(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and circular\$2 near2 (polarized adj light)) and frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:20
-	1	(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polarizing adj plate or polarizer)) and (image\$separat\$4 or (image near separat\$4) or polarizing adj plate or polarizer)) and frequency near3 alternat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:20
-	14	(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polarizing adj plate or polarizer)) and (image\$separat\$4 or (image near separat\$4) or polarizing adj plate or polarizer)) and frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:29
-	1	(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polarizing adj plate or polarizer)) and (image\$separat\$4 or (image near separat\$4) or polarizing adj plate or polarizer)) and first adj2 frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:30
-	4	((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and first adj2 frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:43
-	1	((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and (first adj image) near3 frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:45
-	5	"58" and (alternating with image with frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:48

-	0	osorio.r\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:47
-	0	osorio/r\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:47
-	7	((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and (alternating with image with frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:49
-	79	((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and ((position with (detect\$4 or sens\$3) with eye\$5) or ((half\$face or half adj face) adj detect\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 18:00
-	0	((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (half\$face or half adj face) adj detect\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 18:01
-	0	((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and (half\$face or half adj face) adj detect\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 18:01
-	0	((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and (half\$face or half adj face) adj detect\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 18:08
-	1	((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and inclined adj magnetic adj field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 18:09
-	1	((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and inclined near magnetic adj field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 18:13
-	54	((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and magnetic adj sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 18:13
-	35	((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and magnetic adj sensor) and orientation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 18:13
-	35	((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and magnetic adj sensor) and orientation) and position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 18:14
-	1792	tristate adj buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 11:23
-	72	(tristate adj buffer) and 345?\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:32

-	72	(tristate adj buffer) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:32
-	3	(tristate adj buffer) and 323/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:32
-	41	((tristate adj buffer) and 345/\$.ccls.) and power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:52
-	0	((((tristate adj buffer) and 345/\$.ccls.) and power) and se adj power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:52
-	2	((((tristate adj buffer) and 345/\$.ccls.) and power) and first adj power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:53
-	0	((((tristate adj buffer) and 345/\$.ccls.) and power) and (gate adj line) near2 selection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:56
-	0	((((tristate adj buffer) and 345/\$.ccls.) and power) and ((row or scan\$4 or gate) adj line) near3 select\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:57
-	1	((((tristate adj buffer) and 345/\$.ccls.) and power) and selection adj pulse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:57
-	1	((((tristate adj buffer) and 345/\$.ccls.) and power) and fly\$back adj period	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:58
-	31	((((tristate adj buffer) and 345/\$.ccls.) and power) and frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:59
-	1	((((tristate adj buffer) and 345/\$.ccls.) and power) and frame adj period	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:58
-	1067	(tristate adj buffer) and power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:59
-	56	((tristate adj buffer) and power) and first adj power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 11:03
-	43	((((tristate adj buffer) and power) and first adj power) and second adj power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 11:01

-	1	(((((tristate adj buffer) and power) and first adj power) and second adj power) and third adj power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 11:01
-	2	(((((tristate adj buffer) and power) and first adj power) and second adj power) and (gate or scan\$4 or row) adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 11:03
-	41	((tristate adj buffer) and power) and first adj power adj (source or supply)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 11:26
-	34	((tristate adj buffer) and power) and second adj power adj (source or supply)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 13:27
-	4	(((((tristate adj buffer) and power) and second adj power adj (source or supply)) and display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 13:30
-	32	(((((tristate adj buffer) and power) and first adj power adj (source or supply)) and (((tristate adj buffer) and power) and second adj power adj (source or supply)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 13:30
-	4	(((((tristate adj buffer) and power) and first adj power adj (source or supply)) and (((tristate adj buffer) and power) and second adj power adj (source or supply))) and (((tristate adj buffer) and power) and second adj power adj (source or supply)) and display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 13:30
-	4963	tri\$state adj buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 11:23
-	1552	(tri\$state adj buffer) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 11:24
-	1323	((tri\$state adj buffer) and display) and driv\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 11:25
-	570	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 11:38
-	22	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and first adj circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 11:39
-	17	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and first adj circuit) and second adj circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 13:20
-	3	((((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and first adj circuit) and second adj circuit) and (tft or thin-film or thin adj film)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 13:23

-	22	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 13:29
-	19	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 13:28
-	2	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power) and n-channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 13:24
-	2	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power) and n\$channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 13:24
-	6	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 15:06
-	38	((tri\$state adj buffer) and display) and driv\$3) and (tft or thin-film or thin adj film)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 13:30
-	37	(((((tri\$state adj buffer) and display) and driv\$3) and (tft or thin-film or thin adj film)) and (power or voltage or potential)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 13:30
-	21	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and (power or voltage or potential)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 13:31
-	8	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and (power or voltage or potential)) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 13:35
-	13	(((((tri\$state adj buffer) and display) and driv\$3) and (tft or thin-film or thin adj film)) and (power or voltage or potential)) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 14:34
-	2	6337678.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 14:35
-	2	6337678.URPN.	USPAT	2003/07/03 14:34
-	47	("4202041" "4293734" "4385366" "4448837" "4529959" "4914624" "4916740" "5159159" "5165897" "5222895" "5241308" "5412189" "5442788" "5479528" "5518078" "5576727" "5581670" "5583478" "5587937" "5617114" "5623582" "5625576" "5633660" "5643087" "5691748" "5691898" "5694013" "5694150" "5701140" "5709219" "5719561" "5734373" "5736978" "5739811" "5742278" "5767839" "5798752" "5805140" "5828197" "5831408" "5844560" "5875311" "5880411" "5952998" "5999168" "6046726" "6100874") .PN.	USPAT	2003/07/03 14:35

-	2	6046726.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 14:35
-	12	6046726.URPN.	USPAT	2003/07/03 14:36
-	12	6046726.URPN.	USPAT	2003/07/03 14:37
-	4	("4988981" "5148154" "5184319" "5381158").PN.	USPAT	2003/07/03 14:37
-	1	(((((tristate adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power) and 345/\$.ccls.) and n adj channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 14:51
-	1	(((((tristate adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power) and 345/\$.ccls.) and n-channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 15:35
-	4	(((((tristate adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power) and 345/\$.ccls.) and p	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 18:25
-	2	(((((tristate adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and (power or voltage or potential)) and n-channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 15:35
-	4	(((((tristate adj buffer) and display) and driv\$3) and (tft or thin-film or thin adj film)) and (power or voltage or potential)) and n-channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 15:36
-	4963	tristate adj buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:30
-	0	((tristate adj buffer) near3 (gate adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 18:28
-	18	((tristate adj buffer) near3 ((gate or signal or scan\$4) adj line)) and power adj (source or supply)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 18:36
-	2	((tristate adj buffer) near3 ((gate or signal or scan\$4) adj line)) and power adj (source or supply)) and first adj power adj (source or supply)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 18:45
-	1	((tristate adj buffer) near3 ((gate or signal or scan\$4) adj line)) and power adj (source or supply)) and first adj power adj (source or supply)) and tft	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 18:46
-	1	((tristate adj buffer) near3 ((gate or signal or scan\$4) adj line)) and power adj (source or supply)) and tft	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 18:46
-	2518	"96" and tft	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 18:46

-	1	((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and tft	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 18:47
-	1	((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and (tft or thin-film or thin adj film)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 18:48
-	39	((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 18:48
-	2	(((((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and power adj (source or supply)) and first adj power adj (source or supply)) and transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:02
-	10	(((((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and power adj (source or supply)) and transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:01
-	16	"10" and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:01
-	3	(((((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and power adj (source or supply)) and transistor) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:01
-	8	5434823.URPN.	USPAT	2003/07/06 19:03
-	4	("5258951" "5287310" "5305284" "5329489").PN.	USPAT	2003/07/06 19:04
-	5	5936455.URPN.	USPAT	2003/07/06 19:05
-	5	("4804865" "4837460" "5198699" "5220205" "5568085").PN.	USPAT	2003/07/06 19:06
-	6	5633599.URPN.	USPAT	2003/07/06 19:08
-	6	("Re34916" "5077521" "5369645" "5371712" "5392298" "5495487").PN.	USPAT	2003/07/06 19:09
-	34	5434823.URPN. or (("5258951" "5287310" "5305284" "5329489").PN.) or 5936455.URPN. or (("4804865" "4837460" "5198699" "5220205" "5568085").PN.) or 5633599.URPN. or (("Re34916" "5077521" "5369645" "5371712" "5392298" "5495487").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:11
-	4	(5434823.URPN. or (("5258951" "5287310" "5305284" "5329489").PN.) or 5936455.URPN. or (("4804865" "4837460" "5198699" "5220205" "5568085").PN.) or 5633599.URPN. or (("Re34916" "5077521" "5369645" "5371712" "5392298" "5495487").PN.)) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:13
-	0	((5434823.URPN. or (("5258951" "5287310" "5305284" "5329489").PN.) or 5936455.URPN. or (("4804865" "4837460" "5198699" "5220205" "5568085").PN.) or 5633599.URPN. or (("Re34916" "5077521" "5369645" "5371712" "5392298" "5495487").PN.)) and display) and tri\$state adj buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:13
-	4	((5434823.URPN. or (("5258951" "5287310" "5305284" "5329489").PN.) or 5936455.URPN. or (("4804865" "4837460" "5198699" "5220205" "5568085").PN.) or 5633599.URPN. or (("Re34916" "5077521" "5369645" "5371712" "5392298" "5495487").PN.)) and display) and buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:19

-	30	((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/07/06 19:20
-	6	(US-6426670-\$ or US-5198699-\$ or US-5220205-\$ or US-5633599-\$ or US-5936455-\$ or US-5434823-\$).did.		2003/07/06 19:25
-	1	((US-6426670-\$ or US-5198699-\$ or US-5220205-\$ or US-5633599-\$ or US-5936455-\$ or US-5434823-\$).did.) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:25
-	0	((US-6426670-\$ or US-5198699-\$ or US-5220205-\$ or US-5633599-\$ or US-5936455-\$ or US-5434823-\$).did.) and display) and tri\$state adj buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:27
-	9	((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and power adj (source or supply)) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:28
-	9	((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and power adj (source or supply)) and display) and ((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and power adj (source or supply))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:28
-	96	(tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:30
-	1552	(tri\$state adj buffer) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:31
-	243	((tri\$state adj buffer) and display) and 345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:31
-	4	((tri\$state adj buffer) and display) and 345/\$.ccls.) and gate adj line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:31
-	3	6124840.URPN.	USPAT	2003/07/06 19:38
-	12	("4804951" "4870399" "5465054" "5510748" "5528256" "5572211" "5578957" "5604449" "5682175" "5748165" "5838289" "5907314").PN.	USPAT	2003/07/06 19:38
-	15	6124840.URPN. (("4804951" "4870399" "5465054" "5510748" "5528256" "5572211" "5578957" "5604449" "5682175" "5748165" "5838289" "5907314").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:39
-	0	(6124840.URPN. (("4804951" "4870399" "5465054" "5510748" "5528256" "5572211" "5578957" "5604449" "5682175" "5748165" "5838289" "5907314").PN.)) and tri\$state adj buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 19:40
-	8	(US-5936455-\$ or US-5633599-\$ or US-5220205-\$ or US-6052104-\$ or US-6124840-\$ or US-6426670-\$ or US-5198699-\$ or US-5434823-\$).did.	USPAT	2003/07/06 20:58

-	4	((US-5936455-\$ or US-5633599-\$ or US-5220205-\$ or US-6052104-\$ or US-6124840-\$ or US-6426670-\$ or US-5198699-\$ or US-5434823-\$).did.) and n-channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 20:58
-	4	((US-5936455-\$ or US-5633599-\$ or US-5220205-\$ or US-6052104-\$ or US-6124840-\$ or US-6426670-\$ or US-5198699-\$ or US-5434823-\$).did.) and n-channel) and p-channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 21:13
-	2	((US-5936455-\$ or US-5633599-\$ or US-5220205-\$ or US-6052104-\$ or US-6124840-\$ or US-6426670-\$ or US-5198699-\$ or US-5434823-\$).did.) and n-channel) and p-channel) and tristate adj buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/06 21:14
-	1881	tristate adj buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 22:16
-	0	(tristate adj buffer) and dummy adj ((gate or scan\$4) adj2 (line or electrode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 22:18
-	0	(tristate adj buffer) and dummy adj gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 22:18
-	0	(tristate adj buffer) and dummy adj line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 22:18
-	98	(tristate adj buffer) and dummy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 22:18
-	42	((tristate adj buffer) and dummy) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 22:20
-	1	((tristate adj buffer) and dummy) and display) and tristate SAME dummy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 22:20